



BRINGING NEW LIGHT TO INTERIOR ARCHITECTURE



EXPANSIVE NEW LIGHT

Frameworks brings new light to interior architecture with doors, frames and windows that pair custom and standard glazing options with an expansive range of aluminum frame design options to give you the flexibility to create distinctive interiors.

Featuring smart modular design, snap-on trim, recessed glazing pockets and concealed fasteners – you will find that great design is in the details. Whatever your vision – angled, segmented or radiused – Frameworks can create it for new construction or retrofit.

QUALITY CRAFTSMANSHIP

Frameworks delivers well thought out custom solutions, quality-crafted to your specifications. Project components are precut and packaged by opening to streamline installation, prevent installer error, and save time.

DESIGNER'S ARRAY OF FINISHES

Choose from:

Anodized finish options:

- Class II Clear
- Custom finishes in Bronze (medium and dark), Black and Champagne

Electrostatically-applied paint finishes available in:

- Our standard selection of bronze, black, and white, or
- Custom matched paint finishes

EXCEPTIONAL SERVICE & FOLLOW THROUGH

Renowned for exceptional customer service and follow through, Frameworks' short lead times make it the confident choice for fast-track and tenant fit-out projects.



DEFINING THE LIGHT WITHIN

FOR NEW CONSTRUCTION & RETROFIT

- Class A Office Buildings
- Commercial Facilities
- College and University Campuses
- K-12 Buildings
- Healthcare Facilities
- Government & Military Structures

FOR LEED CERTIFIED & SUSTAINABLE PROJECTS

Frameworks' products are LEED contributing and made of aluminum (a recycled and readily recyclable material); they are manufactured in the USA and are lightweight to ship. The use of Frameworks frames, windows and doors allows for shared light that creates healthy and happy work environments.

FRAMEWORKS FRAMES, WINDOWS & DOORS

FRAMES

Frameworks frames are manufactured to integrate into standard drywall partitions but can be adapted to accommodate varying wall conditions. We expertly engineer angled, segmented and radiused frame configurations to any specification.

Choose standard or custom anodized finishes, or electrostatically applied painted finishes. Frames can arrive precisely pre-cut and individually packaged by opening for smart installation.






TWO FRAME SYSTEMS TO CHOOSE FROM

TYPE II FRAME SYSTEM

Type II Frame System is a modular system that was developed for greater versatility and strength, and easier installation. It features snap-on trim that conceals the fasteners and provides clean design lines. Type II Framing is installed after the walls are finished and painted, which exempts it from critical path scheduling and makes it the ideal choice for design build or fast-track fit-out projects.


Type II System accommodates 1/4", 3/8" and 1/2" glazing.



TYPE II FRAME SYSTEM

TYPE I FRAME SYSTEM

Type I Frame System – the original frame system in the industry – screws into the sheetrock and requires taping and floating to finish. Type I System accommodates 1/4" and 3/8" glazing.



TYPE I FRAME SYSTEM

FRAME SYSTEM COMPARISON

	TYPE II FRAME SYSTEM			TYPE I FRAME SYSTEM		
Design	Rectilinear			Rectilinear		
Face Profile	1 1/2" or 2"			1 1/2"		
Return	9/32"					
Snap-on Trim	1 1/4" 1 1/2" 2"					
Wall Thickness	.062"			.062"		
Throat Sizes	3 1/2" 3 3/4" 4 5/8" 4 7/8" 5 1/4" 5 1/2" 6 1/8" 7 1/4"			3 3/4" 4 7/8"		
FIRE RATINGS	RATING	MIN THROAT	MAX SIZE	RATING	MIN THROAT	MAX SIZE
Door Frame	20 Min*	3 1/2"	3090 (WHI-495-0817) 6090 (WHI-495-0894)	20 Min*	3 3/4"	3090 (WHI-495-0817) 2090 (WHI-495-0823)
	45 Min	3 1/2"	3090 (WHI-495-0965) 6090 (WHI-495-0965)			
	90 Min	3 5/8"	3090 (WHI-495-1424) 6090 (WHI-495-1424)			
Door Frame with Sidelight	20 Min	3 1/2"	3090 DF (WHI-495-0893) 2090 SL (WHI-495-0893)	20 Min	3 3/4"	3090 DF (WHI-495-0963) 2090 SL (WHI-495-0963)
Borrowed Light	20 Min	3 1/2"	3090 (WHI-495-0964) 5050 (WHI-495-0964)	20 Min	3 3/4"	5050 (WHI-495-0964) 4090 (WHI-495-0964)

* Positive and negative pressure

NOTE: 45 minute ratings can be achieved with fixed throat sizes. 20 minute and 90 minute rating can be achieved with fixed or adjustable throat sizes 2 7/8" to 7 7/8".



DOORS

From swinging doors to sliding/barn and pocket doors, Frameworks doors are assembled and packaged at the factory, complete with the frame and accommodations for any special hardware preparation, making installation easier on site.

Doors are available in narrow ($2 \frac{5}{8}$ "), medium ($4 \frac{1}{4}$ "), and wide stiles ($5 \frac{1}{2}$ ").



WINDOWS

Frameworks produces quality sidelights, transoms, borrowed lights and clerestories, with a wide array of glazing and finish options.



DOORS OF SUBSTANCE & LIGHT

The Frameworks Door Selection delivers an expansive array of interior architectural doors to pair with our windows and frames to create exclusively unique interiors.

BARN-STYLE SLIDING DOORS

Sliding door systems conserve space without compromising entry access or aesthetic design. Manufactured of high quality aluminum, Frameworks sliders provide a quiet and smooth operation.

- Doors glide along a surface-mounted track on the outside of the partition wall
- Can be used with both Type 1 and Type 2 frames
- Locking capabilities with the use of either the Adams Rite 1870* Cylinder-Operated Flushbolt Lock or Rockwood Locking Pull.
- Doors can accommodate $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " glass
- Available in narrow ($2\frac{5}{8}$ "), medium ($4\frac{1}{4}$ "), and wide stiles ($5\frac{1}{2}$ "). Standard or custom hardware machining. Fully assembled (with glazing available) or KD

NARROW STILE SLIDER

Designed with overall aesthetics in mind, the narrow stile slider combines the installation ease of a sidelight frame and barn door with the look and sleekness of the fixed panel/slider.

- Frameworks narrow stile slider marries the sleekness of the fixed panel/slider with the easy installation of a sidelight frame and barn door
- Demountable for tenant fit-out applications
- Can be used with a hook bolt for convenience
- Locking capabilities with the use of either the Adams Rite MS1850 Hook Bolt; Adams Rite 1870* Cylinder-Operated Flushbolt Lock or Rockwood Locking Pull



FIXED PANEL/SLIDER

Fixed Panel/Sliders create a clean aesthetic look with stiles and rails that align and match dimensionally. All components—the door, track and fixed panel are mounted within the partition width. Fastened to the perimeter frame and sealed, the fixed panel has an “L-shaped” lip that interlocks with the sliding panel for reliable performance and security.

- Can be used with both Type 1 and Type 2 frames
- Locking capabilities with the use of either the Adams Rite MS1850 Hook Bolt; Adams Rite 1870* Cylinder-Operated Flushbolt Lock or Rockwood Locking Pull
- Doors can accommodate $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " glass
- Fixed panels are only undersized by $\frac{1}{8}$ "
- Available in narrow ($2\frac{5}{8}$ "), medium ($4\frac{1}{4}$ "), and wide stiles ($5\frac{1}{2}$ "). Standard or custom hardware machining. Fully assembled (with glazing available) or KD

SWINGING DOORS

Choose Frameworks aluminum swinging doors for sleek design lines that match our frames.

- Beveled edge doors are available for use with hinges or off-set pivots
- Radius edge doors available for center hung pivots
- Doors accommodate $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " glass
- Wide stile doors can accommodate standard hardware
- Select narrow profile locksets for narrow and medium stile doors
- Available in narrow ($2\frac{5}{8}$ "), medium ($4\frac{1}{4}$ "), and wide stiles ($5\frac{1}{2}$ "). Standard or custom hardware machining. Fully assembled (with glazing available) or KD

* The Adams Rite 1870 typically installs with the rod extending into the strike in the top mounted track, but can also be installed to extend into the floor.

For more information on Frameworks go to www.frameworks.com.



Frameworks Manufacturing
1910 Cypress Station Drive, Suite 100
Houston, TX 77090

Phone: 713-692-5222
Fax: 713-692-1391

Web: www.frameworks.com
Email: orders@frameworks.com